



Received 9/28
via email
matt@nbd.com

NEW BEGINNINGS WINDOW & DOOR

WASHINGTON TOWN HALL WINDOW REPLACEMENT - PHASE 2

ATTACHED IS COST TO REMOVE AND REPLACE ALL UNITS PROPOSED FOR WASHINGTON TOWN HALL (PHASE 2)

THESE UNITS WILL MATCH THE ORIGINAL REPLACEMENT IN PHASE 1. WE ARE PROPOSING AN IDENTICAL EXTERIOR FINISH & INTERIOR FINISH. SCREENS AND HARDWARE TO MATCH.

ALL UNITS INCLUDE:

FACTORY FINISH WHITE EXTERIOR

FACTORY STAIN CHESTNUT INTERIOR

OIL RUB BRINZE HARDWARE

INCLUDES FROSTED GLASS IN BATHROOM & FILE ROOM

INCLUDES TEMPER GLASS IN STAI LANDINGS

ALL UNITS TO MEET AND EXCEED NYS ENERGY CODE

LABOR TO INSTALL INCLUDED

PREPARED BY

CHRIS HAINES

NEW BEGINNINGS WINDOW & DOOR

845 392 6649



WINDSOR
WINDOWS & DOORS

NEW BEGINNINGS WINDOW AND DOOR

62 MCKINLEY ST

WAPPINGERS FALLS

NY 12590

Phone: 845-298-3667

Fax: 856-625-1467

Customer Quote

Short Form
Totals Only

QUOTE EXPIRES

N/A

QUOTE DATE

Quote Not Ordered

BID BY

PRICE BOOK

Price Book 2026

CREATED

4/20/2026

jacob@nbwindow.
com

PK #342

Customer Information:

Phone:

Fax:

Delivery Information:


Phone:

Fax:

QUOTE #			STATUS		CUSTOMER PO#		DATE PRINTED	
3153586			None				9/21/2026 9:21 AM	
CUSTOMER JOB NAME			TERMS		QUOTE NAME		PROJECT NAME	
					W#ashington Town Hall Phase 2		Washington Town Hall Phase 2	
Line #	Room ID	Quantity	Overall RO	Overall Frame				

100 Courtroom

6



* Units view. .om exterior.

(A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls

(A1)-Revive Clad White Pocket Awning XXXX Complete Unit V LoE 366 IG (Room ID: Courtroom)
(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior
Stops: Contemporary)(FD: 50 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill
Bevel)(Traditional Csmnt-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White
Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-AP) Performance
Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58)

(B1)-Revive Clad White Pocket Awning XXXX Complete Unit S LoE 366 IG (Room ID: Courtroom)
(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior
Stops: Contemporary)(FD: 50 x 60)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill
Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data:(U-Value: 0.27)(SHGC:
0.22)(VT: 0.52)(CR: 58)

COST INCLUDES ALL WINDOWS TO MATCH PHASE 1


**PREFINISH WHITE EXTERIOR
PREFINISHED CHESTNIT INTERIOR
ALL SCREENS AND HARDWARE INCLUDED**

LABOR & HAUL AWAY INCLUDED

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

200 Courtroom FROST

1



* Units view. om exterior.

(A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls


(A1)-Revive Clad White Pocket Awning XXXX Complete Unit V LoE 366 Obscure IG (Room ID: Courtroom FROST)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csmt-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in S Zone)(R-PG30-AP) Performance Data:(U-Value: 0.29)(SHGC: 0.2)(VT: 0.46)(CR: 57)

(B1)-Revive Clad White Pocket Awning XXXX Complete Unit S LoE 366 Obscure IG (Room ID: Courtroom FROST)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 60)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 57)

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

300 D Bath FROST

1



* Units view. om exterior.

(A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls


(A1)-Revive Clad White Pocket Awning XXXX Complete Unit V LoE 366 Obscure IG (Room ID: D Bath FROST)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csmt-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in S Zone)(R-PG30-AP) Performance Data:(U-Value: 0.29)(SHGC: 0.2)(VT: 0.46)(CR: 57)

(B1)-Revive Clad White Pocket Awning XXXX Complete Unit S LoE 366 Obscure IG (Room ID: D Bath FROST)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 60)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data: (U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 57)

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

400 Basement Access

1





* Units viewed from exterior.


(A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls

(A1)-Revive Clad White Pocket Awning XXXX Complete Unit V LoE 366 IG (Room ID: Basement Access)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 36 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csmt-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG40-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58)

(B1)-Revive Clad White Pocket Awning XXXX Complete Unit S LoE 366 IG (Room ID: Basement Access)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 36 x 36)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)

Line #	Room ID	Quantity	Overall RO	Overall Frame
500	Clerk	7		
 (A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls (A1)-Revive Clad White Pocket Awning XXXXX Complete Unit V LoE 366 IG (Room ID: Clerk)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csmnt-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58) (B1)-Revive Clad White Pocket Awning XXXXX Complete Unit S LoE 366 IG (Room ID: Clerk)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 60)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 58)				
* Units viewed from exterior.				


Line #	Room ID	Quantity	Overall RO	Overall Frame
600	Clerk Bath	1		
 (A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls (A1)-Revive Clad White Pocket Awning XXXXX Complete Unit V LoE 366 IG (Room ID: Clerk Bath)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 36 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csmnt-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG40-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58) (B1)-Revive Clad White Pocket Awning XXXXX Complete Unit S LoE 366 IG (Room ID: Clerk Bath)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 36 x 36)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.53)(CR: 59)				
* Units viewed from exterior.				

Line #	Room ID	Quantity	Overall RO	Overall Frame
700	2 fl bath FROST	1		
 (A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls (A1)-Revive Clad White Pocket Awning XXXXX Complete Unit V Obscure IG (Room ID: 2 fl bath FROST)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 36 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csmnt-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star:)(R-PG40-AP) Performance Data:(U-Value: 0.45)(SHGC: 0.56)(VT: 0.58)(CR: 42) (B1)-Revive Clad White Pocket Awning XXXXX Complete Unit S Obscure IG (Room ID: 2 fl bath FROST)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 36 x 36)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star:)(R-PG45-FW) Performance Data:(U-Value: 0.46)(SHGC: 0.63)(VT: 0.67)(CR: 43)				
* Units viewed from exterior.				

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

800 Highway File

1



* Units viewed from exterior.

(A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls


(A1)-Revive Clad White Pocket Awning XXXX Complete Unit V LoE 366 IG (Room ID: Highway File)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csm-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58)

(B1)-Revive Clad White Pocket Awning XXXX Complete Unit S LoE 366 IG (Room ID: Highway File)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 60)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 58)

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

900 Zoning

2



* Units viewed from exterior.

(A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls


(A1)-Revive Clad White Pocket Awning XXXX Complete Unit V LoE 366 IG (Room ID: Zoning)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csm-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58)

(B1)-Revive Clad White Pocket Awning XXXX Complete Unit S LoE 366 IG (Room ID: Zoning)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 60)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 58)

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

1000 Rec

2



* Units viewed from exterior.

(A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls


(A1)-Revive Clad White Pocket Awning XXXX Complete Unit V LoE 366 IG (Room ID: Rec)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csm-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58)

(B1)-Revive Clad White Pocket Awning XXXX Complete Unit S LoE 366 IG (Room ID: Rec)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 60)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 58)

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

1100 Assesor Office

1



* Units view from exterior.

(A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls


(A1)-Revive Clad White Pocket Awning XXXX Complete Unit V LoE 366 IG (Room ID: Assesor Office)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csmt-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58)

(B1)-Revive Clad White Pocket Awning XXXX Complete Unit S LoE 366 IG (Room ID: Assesor Office)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 60)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 58)

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

1200 Lisa

1



* Units view from exterior.

(A1) DAW CustomCustom - (B1) DAW CustomCustom - Standard Mulls


(A1)-Revive Clad White Pocket Awning XXXX Complete Unit V LoE 366 IG (Room ID: Lisa)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 24)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Traditional Csmt-Awn Handle Style)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in SC, S Zones)(R-PG30-AP) Performance Data:(U-Value: 0.28)(SHGC: 0.2)(VT: 0.46)(CR: 58)

(B1)-Revive Clad White Pocket Awning XXXX Complete Unit S LoE 366 IG (Room ID: Lisa)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Glass Stop Profile: Contemporary)(Interior Stops: Contemporary)(FD: 50 x 60)(Pine Species)(Chestnut Stain)(Grey Spacer)(0-7 Degree Sill Bevel)(Energy Star: Meets in SC, S Zones)(R-PG45-FW) Performance Data:(U-Value: 0.27)(SHGC: 0.22)(VT: 0.52)(CR: 58)

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

1300 2 Fl Landing TEMP

2




* Units view from exterior.

Revive Clad White Pocket Double Hung XXXX Complete Unit LoE 366 IG (Room ID: 2 Fl Landing TEMP)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Concealed Jambliner)(Glass Stop Profile: Contemporary)(Frame: 32 x 72)(Pine Species)(Chestnut Stain)(With Finger Pulls)(Grey Spacer)(Tempered Glass)(0-7 Degree Sill Bevel)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in S Zone)(LC-PG35-H) Performance Data:(U-Value: 0.31)(SHGC: 0.2)(VT: 0.47)(CR: 57)

Line #	Room ID	Quantity	Overall RO	Overall Frame
--------	---------	----------	------------	---------------

1400 2 Fl Landing TEMP

2



* Units view from exterior.

Revive Clad White Pocket Double Hung XXXX Complete Unit LoE 366 IG (Room ID: 2 Fl Landing TEMP)(2604 Powder)(Setup (Standard))(No Exterior Trim Kit)(Concealed Jambliner)(Glass Stop Profile: Contemporary)(Frame: 32 x 72)(Pine Species)(Chestnut Stain)(With Finger Pulls)(Grey Spacer)(Tempered Glass)(0-7 Degree Sill Bevel)(Oil Rubbed Bronze Hardware)(Full Screen)(White Screen - Not Applied)(BetterVue)(Energy Star: Meets in S Zone)(LC-PG35-H) Performance Data:(U-Value: 0.31)(SHGC: 0.2)(VT: 0.47)(CR: 57)

Windsor Windows and Doors

Line #	Room ID	Quantity	Overall RO	Overall Frame
1500	None Assigned	1		
		Labor To Install		

Quote Comments:

Disclaimer:

SUB-TOTAL:	\$149,804.00
LABOR:	\$0.00
FREIGHT:	\$0.00
SALES TAX:	\$0.00
TOTAL:	\$149,804.00

Messages:

* Units meeting Egress size conform to 2018 IRC Section R310.2 Egress requirements; Local codes may differ.
Customer is responsible to confirm units meet all applicable requirements.

Submitted By: _____ Date: _____

Accepted By: _____ Date: _____

We appreciate the opportunity to provide you with this quote!



Town of
Washington

BID FORM

RFP 2025

Window Replacement

Proposal Issued March 17, 2025

Contractor Name: New Beginnings Window & Door

Street Address: 62 McKinley St

City: State: Zip Code: Wappingers Falls NY 12590

Telephone: ⁸⁴⁵ 238 3667 Cell Phone: _____ Email: chase@nbwindow.com

Bid Amount (Lump Sum): \$149,804.00 dollars

(\$) 149,804.00 (must be using prevailing wage)

Alternates—Please Describe:

Exceptions—Please Describe:

☒ I have read the Request for Proposals dated March 17, 2025

Authorized Signature: [Signature] Date 9/23/26

Title Office manager

CONTRACTOR'S INSURANCE REQUIREMENTS

Contractor's Risk Complete Building Limit=\$ 1,000,000.00

General Liability.....Limit=
occurrence \$1,000,000.00/per
\$ 2,000,000.00/aggregate

Automobile Liability.....combined single limit = \$ 1,000,000.00


Commercial Umbrella....Limit= \$ 1,000,000.00

Worker's Compensation...As mandated by NYS

HOLD HARMLESS

The Contractor shall, to the fullest extent permitted by law, at all times indemnify and save harmless the Town of Washington from and against any and all claims and demands whatsoever, including costs, litigation expenses, counsel fees and liabilities in connection therewith arising out of injury to or death of any person whomsoever or damage to any property of any kind by whomsoever, to the extent caused in whole or in part, directly or indirectly, by the negligent acts or omissions of the Contractor, any person employed by the Contractor, or anyone for whom the Contractor is liable, while engaged in the work hereunder. This clause shall not be construed to limit, or otherwise impair, other rights or obligations of indemnity which exist in law, or in equity, for the benefit of the Town.

IN WITNESS WHEREOF, the CONTRACTOR has set its hand this 23 day of, Sept.

SIGNATURE 

NAME & TITLE Chantal Shanley Office manager

VENDOR INFORMATION FOR THE TOWN OF WASHINGTON

Please complete the following information for the Town of Washington to track vendor applicant information and for the Town's purchasing process.

Business Name New Beginnings Window + Door

Address 62 McKinley St Wappinger Falls NY

Phone 815 258 3667 Contact person Chantal Shanley

Business Type (Sole Proprietorship, Corporation, LLC, etc.) LLC

Is your business a Disadvantaged Business Enterprise (DBE)? Yes No

Is your business a Minority and Women-Owned Business Enterprise (MWBE)? Yes ☒ No

Is your business a Service Disabled Veteran Owned Business (SDVOB)? Yes ☒ No

Does your business have a small business status? Yes No

Any other business status, please provide information: _____

Provide the name of the Certifying Entity
(ties): _____

Have you conducted business with the TOWN before? ☒ Yes No

If the answer to the above question is NO, please provide your Federal ID Number
and

attach a copy of your W-9 Form, FEIN #: _____

How did you discover this Bid
opportunity? COMPLETED PHASE 1 LAST YR

Completing the above information does not change your chances of being
awarded a contract. The information collected will NOT be sold and will not be used
to contact you.

Thank you.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

09/22/2026

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCERNY Shop Around Ins
25 South St

Washingtonville

NY 10992

CONTACT
NAME: John Luongo IIIPHONE
(A/C, No, Ext): (845) 418-4968FAX
(A/C, No):E-MAIL
ADDRESS: jl3@johnluongo.com**INSURER(S) AFFORDING COVERAGE**

NAIC #

INSURER A: Utica First

15326

INSURER B: Merchants Insurance Group

23329

INSURER C: NYSIF

523930

INSURER D: Shelter Point

81434

INSURER E:

INSURER F:

INSUREDSignatures Building Solutions INC
149 ROMBOUT RD

POUGHKEEPSIE

NY 12603-6217

COVERAGES**CERTIFICATE NUMBER:****REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

COPIES AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.															
INSR LTR	TYPE OF INSURANCE			ADDL SUBR	INSR	WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS					
A	☒	COMMERCIAL GENERAL LIABILITY		X			ART5156188	3/23/2026	3/23/2027	EACH OCCURRENCE	\$	1000000			
	☐	CLAIMS-MADE	☒							OCCUR	DAMAGE TO RENTED PREMISES (Ea occurrence)	\$	50000		
	☐									MED EXP (Any one person)	\$	5000			
	GEN'L AGGREGATE LIMIT APPLIES PER:									PERSONAL & ADV INJURY	\$				
	☐	POLICY	☐ PRO-JECT							☐ LOC	GENERAL AGGREGATE	\$	2000000		
	OTHER:									PRODUCTS - COM/OP AGG	\$	2000000			
B	AUTOMOBILE LIABILITY						CAPI085905	1/6/2026	1/6/2027		\$				
	☐	ANY AUTO				COMBINED SINGLE LIMIT (Ea accident)				\$					
	☐	OWNED AUTOS ONLY	☒	SCHEDULED AUTOS	BODILY INJURY (Per person)	\$									
	☐	HIRED AUTOS ONLY	☐	NON-OWNED AUTOS ONLY	BODILY INJURY (Per accident)	\$									
	☐				PROPERTY DAMAGE (Per accident)	\$									
	UMBRELLA LIAB		☐	OCCUR							\$				
	EXCESS LIAB		☐	CLAIMS-MADE						EACH OCCURRENCE	\$				
	☐	DED	☐	RETENTION \$						AGGREGATE	\$				
	C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY			N/A		A 2605 514-5	02/09/2026	03/23/2027		\$				
		ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)								☒	PER STATUTE	☐	OTHER		
If yes, describe under DESCRIPTION OF OPERATIONS below												E.L. EACH ACCIDENT	\$	500	
												E.L. DISEASE - EA EMPLOYEE	\$	500	
												E.L. DISEASE - POLICY LIMIT	\$	500	
D	DISABILITY						DBL717153	2/8/2026	2/8/2027						
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACCORD 1M 544000															

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Additional Insured Blanket Coverage per written contract

CERTIFICATE HOLDER

Town of Washington

10 Reservoir Dr.
Millbrook

NY 12545

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Cristina Serino

